## MC FOR CONCRETE INDUSTRY



#### **MATERIAL SAFETY DATA SHEET**

### **Centrament Rapid SAL**

#### 1. PRODUCT AND COMPANY INFORMATION

Manufactured / Distributed by MC-Bauchemie Manufacturing PLC.

P.O. Box 5452 Addis Ababa, Ethiopia

Addis Ababa, Ethiopia Tel: +251 11 5544334 Tel: +251 11 5544557/8 Fax: +251 11 5543610 www.mc-bauchemie.com

Email: ethiopia@mc-bauchemie.com

#### 2. COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS no.	Weight %
Water	7732-18-5	5 –15%
Sodium Silicate solution	1344-09-8	85 – 95%

#### 3. HAZARDS

**Emergency Overview:** 

This product is irritating to the eyes and skin.

**Potential Health Effects: Eyes** 

This product is irritating to the eyes. Symptoms can include irritation and redness.

**Potential Health Effects: Skin** 

This product may cause sensitization upon skin contact.

**Potential Health Effects: Ingestion** 

Ingestion of this product is unlikely. However, ingestion of product may produce gastrointestinal irritation and

disturbances.

Potential Health Effects: Inhalation
No possible hazard to respiratory system.
Medical Conditions Aggravated by Exposure

Hypersensitivity to product, allergies, and skin disorders

#### 4. FIRST AID MEASURES

Eye contact If the eyes are contaminated, flush them without delay with

large amounts of clean water for at least 15 minutes and get

medical attention promptly.

Skin contact If skin contact occurs, wipe clean the skin immediately with

paper towels and wash immediately with a commercial skin cleaner or with liquid soap and plenty of warm water. Any contaminated clothing, shoes, should be removed and not reused until clean of resin. Any injuries or irritation that may

occur should receive prompt medical attention.

Inhalation Not normally applicable. Remove person to fresh air. Obtain

medical assistance if symptoms persist.

Ingestion Do not induce vomiting, give one pint of water or milk and

obtain medical attention without delay.

#### 5. FIRE FIGHTING AND MEASURES

Suitable Extinguishing Media Foam, carbon dioxide, dry powder, water jet.

Extinguishing Media not to be used None Combustion products None

Admixtures Page 1 of 3

## MC FOR CONCRETE INDUSTRY



#### **6. ACCIDENTAL RELEASE MEASURES**

After spillage / leakage Take up mechanically or with an absorbent material e.g. sand,

sawdust and collect in a disposal bag.

Do not discharge into drains/surface water/groundwater

Please refer to local rules and regulations for disposal.

7. HANDLING AND STORAGE

Avoid skin contact. No special measures necessary provided

product is used correctly.

Protective measures Store in the original container in a cool, dry, well-ventilated

place away from ignition sources, heat or flame. Store

protected against freezing. Protect from direct sunlight.

8. PERSONAL PROTECTION / EXPOSURE CONTROLS

Personal protective equipments Gloves, safety goggles

Other No special protective measure required.

Industrial hygiene Do not use solvent to clean the skin, use industrial skin

cleansers or liquid soap and warm water, dry with paper towels not cloth towels. Do not smoke in working area. Remove contaminated clothing and launder before reuse.

Always work in well-ventilated areas.

Observe good housekeeping and general hygiene guidelines.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Viscous Liquid
Color Slight Hazy
Odor Odorless

Change in physical state No statement possible

Specific Gravity@ 25°C 1.32 +/- 0.02

Melting Point N/A
Flash Point N/A
Solubility in water Dispersible pH 9 -11

10. STABILITY AND REACTIVITY

Conditions to avoid Avoid freezing
Substance to avoid Strong acids

Hazardous reactions Stable if store and handled as per section 7

Thermal Decomposition None Oxidizing properties None

11. INFORMATION ON TOXICITY

Information of toxicity in general Risk of sensitization, which may lead to allergic dermatitis.

Persons with a history of skin allergies or a tendency towards

dermatitis should not handle such products.

12. INFORMATION ON ECOLOGICAL EFFECTS

General information Do not discharge the material into drains, sewers, etc.

13. DISPOSAL

Disposal Dispose surplus material to a place as accepted by builders.

Do not incinerate.

Attention is drawn to the Control of Pollution Act 1974, the

provision of which are enforced by local authorities.

Admixtures Page 2 of 3

# MC FOR CONCRETE INDUSTRY



#### 14. TRANSPORT

TDG IMDG Code ICAO / IATA UN No. Not classified as dangerous good under transport regulations Not classified as dangerous good under transport regulations Not classified as dangerous good under transport regulations N/A

#### 15. REGULATIONS

**S** Phrases

Labelling Symbol R Phrases

R43 May cause sensitization by skin contact S24 Avoid contact with skin.

None

S28 After contact with skin, wash immediately with plenty of water

#### **16. FURTHER INFORMATION**

**Further information** 

All statements are based on our experience to date. Form based on DIN 52900.

The information shown is based on our experience to date and is true to the best of our knowledge. Any recommendation or suggestions made are without any guarantee. No responsibility is accepted that the information herein is sufficient or correct in all cases

Admixtures Page 3 of 3